



A RICE LAKE WEIGHING SYSTEMS COMPANY

CHS

DINAMÓMETRO SERIE CHS



Dinamómetro portátil, práctico para pesar en cualquier lugar. Robusto y fiable.

La solución ideal para las aplicaciones industriales avanzadas

CARACTERÍSTICAS TÉCNICAS

- Pantalla LCD de 5 cifras.
- Teclado impermeable de membrana mecánica, funcional, con 3 teclas: encendido / apagado, hold / unit, cero / tara.
- Alimentación: 3 baterías de 1,5 V internas AA (en dotación).
- Temperatura de funcionamiento de 0° C a +40° C.
- Embalaje: dimensiones 240 x 130 x 80 mm - peso 625 g.
- A pedido: calibración ACCREDIA con emisión del relativo certificado.

FUNCIONES

- función de "congelación del peso";
- conversión unidad de medida: kg, lb;
- tara autopesada;
- puesta a cero;
- calibración digital;
- autoapagado.

VERSIONES

Versiones disponibles

Codice	Max (kg)	d (g)
CHS20	20	10



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE