

SBFA

"SBFA": PIES DE ACERO NIQUELADO PARA CÉLULAS DE CARGA



Pies articulados de acero niquelado con carcasa de goma antideslizante. Aptos para realizar plataformas a 4 células.

La solución ideal para
las aplicaciones industriales
avanzadas

CARACTERÍSTICAS PRINCIPALES

- Aplicable a células de carga shear beam serie SBxx.
- Diseñado especialmente para su uso en las plataformas con 4 celdas.
- Compacto y fácil de instalar.
- Ajustable en altura.
- Construido en acero niquelado.
- Goma antideslizante integrada en la superficie de apoyo.
- Combine con cojinete BLKM12I.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE