

SBFP

"SBFP": PIES DE ABS PARA CÉLULAS DE CARGA



Pies articulados de ABS con rosca de acero, para células de carga SBxx. Caracterizados por la altura extremadamente reducida, están aptos para realizar plataformas a 4 células.

La solución ideal para
las aplicaciones industriales
avanzadas

CARACTERÍSTICAS PRINCIPALES

- Aplicable a células de carga shear beam serie SBxx.
- Diseñado especialmente para su uso en las plataformas con 4 celdas.
- Compacto y fácil de instalar, caracterizado por la altura reducida.
- Ajustable en altura.
- Construido totalmente en ABS.
- Goma antideslizante integrada en la superficie de apoyo.
- Combine con cojinete BLKM12I.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE