

RSCBUSB

CABLE CONVERTIDOR RS232/RS485 - USB



Cable convertidor RS232/RS485 - USB, indispensable para la conexión y el mantenimiento de los visores de peso Dini Argeo. La conexión es rápida y sencilla, gracias al conector rápido RJ11 lado balanza.

La solución ideal para
las aplicaciones industriales
avanzadas

CARACTERÍSTICAS TÉCNICAS

- Longitud: alrededor de 1,5m.
- Conectores:
 - RJ11 para la rápida conexión con el puerto serial RS232, de serie sobre el conector hembra RJ11 disponible sobre todos los visores Dini Argeo;
 - DB9 (RSCBUSBKR)
 - USB lado PC.
- Requisitos mínimos del sistema:
 - Sistema operativo Windows 7 o superior.
 - Puerto USB 2.0 o superior.
 - Drivers de comunicación integrados en el programa Dinitools.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE