

## JB11

"JB11": CAJA SUMA PARA CABLES DE CÉLULAS DE CARGA DE 4 POLOS, DE ACERO INOXIDABLE IP68



Caja suma de acero inoxidable con grado de protección IP68 contra agua y polvo, provista de tarjeta electrónica para la unión de 2 secciones de cables de células de carga. Los 8 bloques de bornes de tornillos facilitan la conexión de los cables. El cuerpo de acero inoxidable asegura robustez y durabilidad.

La solución ideal para  
las aplicaciones industriales  
avanzadas

## CARACTERÍSTICAS TÉCNICAS

- Contenedor de acero inoxidable.
- Grado de protección: IP68.
- Máxima tensión en entrada: 24Vdc.
- Máxima corriente en entrada: 700mA.
- 1 entrada y 1 salida célula de 4 cables en conectores de tornillo
- Largo: 85,0mm
- Diámetro interno: 13,9mm
- Diámetro externo: 18mm
- El prensaestopas aprieta de 4 a 8 mm de cable.

## DETALLE 1





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia




**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784



SALES AND TECHNICAL ASSISTANCE SERVICE