

JB4PLUS

"JB4PLUS": CAJA SUMA ECUALIZADA CON PROTECCIÓN CONTRA SOBRETENSIONES, HASTA 4 CÉLULAS DE CARGA



Caja suma IP67 con 4 entradas específica para ambientes externos, puede ser utilizada como caja de ecualización o caja suma sencilla de 2, 3 o 4 células de carga. Bloques de bornes de tornillos para facilitar la conexión y trimmer de regulación de la señal, para una ecualización precisa y fiable. El circuito de protección protege de rayos y sobretensiones.

La solución ideal para
las aplicaciones industriales
avanzadas

CARACTERÍSTICAS TÉCNICAS

- Carcasa de ABS. Grado de protección: IP67.
- Máxima tensión en entrada: 5Vdc.
- Máxima corriente en entrada: 700mA.
- Máximo señal célula en entrada: 1000mV.
- Corriente de pico: 15kA.
- Efecto de la temperatura: 50ppm/°C.
- Dimensiones (lxwxh): 120x80x55mm.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE