

882IS

Visor de peso digital intrínsecamente seguro 882IS



La fuente de alimentación intrínsecamente segura permite el cableado de una sola línea de conductos de CA y el sellado desde la zona de seguridad. También está disponible una batería recargable aprobada FM para aplicaciones aisladas o móviles. El 882IS utiliza una pantalla LCD retroiluminada para mantener una visibilidad brillante y fácil de usar, incluso en áreas poco iluminadas. Su carcasa de acero inoxidable ofrece una excelente protección contra la intemperie.

La solución ideal para
las aplicaciones industriales
avanzadas

- Descubre más sobre www.ricelake.com

DETALLE 1





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE