

RF ITR

"RF2G4": INTERFAZ RADIOFRECUENCIA 2.4 GHz



La solución ideal para
las aplicaciones industriales
avanzadas



CARACTERÍSTICAS TÉCNICAS

- Frecuencia de trabajo, desde 2.4 GHz, hasta 39 deferentes canales, para poder instalar más sistemas independientes en la misma área de trabajo.
- Distancia máxima de funcionamiento en condiciones ambientales y de instalación adecuadas: hasta 45m indoor, hasta 140m outdoor.
- Instalación integrada al interior de la balanza.
- No necesita de protocolos de comunicación particulares, transmisión en modo transparente de cualquier carácter recibido en entrada.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE