

SC2D

ESCÁNER DE CÓDIGO DE BARRAS DE LA SERIE "SC2D"



Lector de código de barras de pistola por cable para utilizar con el visor de peso de la serie 3590 TOUCH SCREEN. Accionamiento manual mediante pulsador o automático cuando se instala en la base.

La solución ideal para  
las aplicaciones industriales  
avanzadas

## Características:

- Luz LED para la identificación de la zona de exploración
- Retroalimentación con señal acústica
- Base de apoyo incluida para su uso en modo automático
- ÓPTICA: Sensor de área CMOS
- DIMENSIONES en mm (AnxAlxAI): 105 x 153 x 60 mm
- PESO: 115 g
- ALIMENTACIÓN: 5 Vdc del visor de peso
- LONGITUD DEL CABLE: 160 cm
- PROTECCIÓN: IP42
- ENTORNO DE USO: Temperatura de 5 a 50°C, Humedad máxima del 90% sin condensación

## Códigos de barras compatibles:

- Código de barras (1D): UPC-A, UPC-E, UPC-E1, UPC-A Add-on , UPC-E Add-on, EAN-13, EAN-8, EAN-13 Add-on/EAN- 8 Add-on, JAN-8, JAN-13, Code 39, NW-7(Codabar), Industrial 2 of 5, Interleaved 2 of 5, Code 93, Code 128, GS1-128, MSI/Plessey, Code 11, OCR-B, GS1 DataBar, GS1 DataBar Limited ,GS1 DataBar Expanded, Composite GS1 DataBar, Composite GS1-128, Composite EAN, Composite UPC , TELEPEN
- Código de barras (2D): PDF417, MicroPDF417, Codablock F, QR Code, Micro QR Code, DataMatrix (ECC 200), MaxiCode, Aztec Code, Chinese Sensible Code

## DETALLE 1

## DETALLE 2



**DETALLE 3**





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784



SALES AND TECHNICAL ASSISTANCE SERVICE